



OUR NEW  
HIGHLIGHTS  
FOR YOU

TOUGH BUT EVEN LIGHTER

# NEW: DAMP PROOF HOUSING

SEPTEMBER 2023



LEDVANCE.COM



LEDVANCE

# AS GOOD AS ALWAYS, BETTER THAN EVER

DAMP PROOF HOUSING is an IP65-protected, IK08-rated, economical and – thanks to the replaceable T8 LED tube – sustainable lighting solution. The new generation of this robust luminaire housing is now even better: easier to handle, faster to install and even more versatile in use.



## DAMP PROOF HOUSING GEN 3

### WHAT'S NEW?

- ▶ Reduced number of stainless steel fasteners
- ▶ Significantly lower weight
- ▶ Diffuser cover fixed to one side of the housing
- ▶ Tool-free installation via quick-connect terminals
- ▶ New DALI and emergency lighting versions
- ▶ Integrated fuse

## YOUR BENEFITS AT A GLANCE

1. Quick and time-saving installation
2. Significantly easier handling
3. Also suitable for large installations with light management systems
4. Flexible and sustainable solution thanks to replaceable T8 LED tubes
5. Greater safety

## PROMISING TALENTS THE DAMP PROOF HOUSING GEN 3 FAMILY

DAMP PROOF HOUSING is a reliably robust damp-proof luminaire housing that can withstand dust and low pressure jets of water, and has a tough IK08 rated impact protection. Its durable stainless steel fasteners and brackets guarantee high quality.

### MANY STRENGTHS, MULTIPLE APPLICATIONS

The many strengths of the DAMP PROOF HOUSING lends it to a wide range of applications including parking garages, warehouses and production areas. And thanks to new DALI and emergency lighting versions the number of applications is now even greater.



### MAIN FEATURES:

- Available in 3 lengths
- For 1 or 2 T8 LED tubes
- ON/OFF, DALI and emergency lighting versions
- IP65 protection and IK08 shock resistance
- Rounded design and low weight for comfortable handling
- Tool-free cable connection
- Quick opening and closing via stainless steel fasteners

### OTHER FEATURES:


- Ideal for use with LED TUBE T8 EM or LED TUBE T8 CONNECTED
- Excellent safety thanks to integrated fuse
- Through-wiring accessories available for larger installations
- Sustainable thanks to the use of replaceable LED tubes
- 5-year guarantee/ 3 years for EM versions




## NOTHING COULD BE EASIER – TOOL-FREE INSTALLATION

Compared to the previous generation, the new **DAMP PROOF HOUSING GEN 3** can be mounted significantly faster. Tool-free installation is just one of the reasons.

The reduced housing weight makes handling easier. Fewer fasteners and a diffuser fixed to one side, removing the need to be held or put down, help to save valuable time during installation. But the best thing is that the wiring-friendly luminaire terminals allow you to electrically connect the luminaire without any tools. And if necessary, you can through-wire quickly with our special accessory kit.



Handy: the hanging diffuser makes your job easier.



As simple as it gets: tool-free luminaire terminal.

## A STRONG COMBINATION

Both **LED TUBE T8 EM** and **LED TUBE T8 EM CONNECTED** from LEDVANCE can be used in the robust **DAMP PROOF HOUSING (IP65/IK08)**.

The **LED TUBE CONNECTED SYSTEM** allows wirelessly connected light management without extensive wiring and programming.

**T8 EM**



+



**T8 EM CONNECTED**



OR

+



**WHICH LED TUBE T8 TO CHOOSE?**

The right LED TUBE is easy to find in our eCat at [ledvance.com/tubes](http://ledvance.com/tubes)



## ABOUT LEDVANCE



With subsidiaries in more than 50 countries and business activities in over 140 countries, LEDVANCE is one of the world's leading companies in the field of general lighting for professional customers and end users. Emerging from OSRAM's general lighting division, LEDVANCE's portfolio includes a wide range of LED luminaires for a variety of applications, intelligent lighting products for smart homes and smart buildings, one of the most comprehensive offerings of advanced LED lamps in the lighting industry, and traditional lamps. Beyond lighting, LEDVANCE offers vertically integrated, renewable energy solutions for the building sector. Together, the lighting division and the renewable energy division form a comprehensive ecosystem for residential, commercial, and industrial buildings. For more information, visit [www.ledvance.com](http://www.ledvance.com).

LEDVANCE GmbH  
 Parking 1-5  
 85748 Garching  
 Germany  
[LEDVANCE.COM](http://LEDVANCE.COM)

## DAMP PROOF HOUSING & ACCESSORIES

Product name	Segmentation	EAN (GTIN)	Battery life in emergency operation mode	Type of emergency operation test	Type of emergency light operation	Luminous flux in emergency operation mode	Type of battery						L x W x H [mm] Ø x H [mm]
<b>DAMP PROOF HOUSING GEN 3 – Damp-proof luminaire for T8 LED lamps with tool-free luminaire connector</b>													
DP HOUSING 600 P 1XLAMP IP65	■	4099854118050	—	—	—	—	—						G13 — 675 x 65 x 70
DP HOUSING 600 P 2XLAMP IP65	■	4099854118074	—	—	—	—	—						G13 — 675 x 95 x 70
DP HOUSING 1200 P 1XLAMP IP65	■	4099854118098	—	—	—	—	—						G13 — 1280 x 65 x 70
DP HOUSING 1200 P 2XLAMP IP65	■	4099854118111	—	—	—	—	—						G13 — 1280 x 95 x 70
DP HOUSING 1500 P 1XLAMP IP65	■	4099854118159	—	—	—	—	—						G13 — 1585 x 65 x 70
DP HOUSING 1500 P 2XLAMP IP65	■	4099854118210	—	—	—	—	—						G13 — 1585 x 95 x 70
<b>DAMP PROOF HOUSING DALI – Damp-proof luminaire for dimmable LED TUBE</b>													
DP HOUSING DALI 1200 P 1XLAMP IP65	■	4099854146442	—	—	—	—	—						G13 DALI-2 1280 x 65 x 70
DP HOUSING DALI 1200 P 2XLAMP IP65	■	4099854146466	—	—	—	—	—						G13 DALI-2 1280 x 95 x 70
DP HOUSING DALI 1500 P 1XLAMP IP65	■	4099854146480	—	—	—	—	—						G13 DALI-2 1585 x 65 x 70
DP HOUSING DALI 1500 P 2XLAMP IP65	■	4099854146503	—	—	—	—	—						G13 DALI-2 1585 x 95 x 70
<b>DAMP PROOF HOUSING EMERGENCY – Damp-proof luminaire for emergency lighting application</b>													
DP HOUSING EM 1200 P 1XLAMP IP65	■	4099854148880	3 h	Automatic	Maintained	330 lm	LiFePO4						G13 DALI-2 1280 x 65 x 70
DP HOUSING EM 1200 P 2XLAMP IP65	■	4099854148903	3 h	Automatic	Maintained	320 lm	LiFePO4						G13 DALI-2 1280 x 95 x 70
DP HOUSING EM 1500 P 1XLAMP IP65	■	4099854148927	3 h	Automatic	Maintained	330 lm	LiFePO4						G13 DALI-2 1585 x 65 x 70
DP HOUSING EM 1500 P 2XLAMP IP65	■	4099854148941	3 h	Automatic	Maintained	320 lm	LiFePO4						G13 DALI-2 1585 x 95 x 70

Product name	Segmentation	EAN (GTIN)	MATERIAL	COLOR	L x W x H [mm] Ø x H [mm]
<b>DAMP PROOF HOUSING ACCESSORIES – Through-wiring kits for DAMP PROOF HOUSING GEN 2 and GEN 3</b>					
DP 1200 1XLAMP HOUSING TH-KIT 5X2.5LEDV	■	4058075695078	Polycarbonate (PC)	Multicolored	1150 x 27 x 16
DP 1500 1XLAMP HOUSING TH-KIT 5X2.5LEDV	■	4058075695092	Polycarbonate (PC)	Multicolored	1450 x 27 x 16
DP 1200 2XLAMP HOUSING TH-KIT 5X2.5LEDV	■	4058075695115	Polycarbonate (PC)	Multicolored	1150 x 50 x 23
DP 1500 2XLAMP HOUSING TH-KIT 5X2.5LEDV	■	4058075695139	Polycarbonate (PC)	Multicolored	1450 x 50 x 23

■ SUPERIOR CLASS ■ PERFORMANCE CLASS ■ VALUE CLASS

<sup>1</sup> Refer to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) for precise conditions

The pictures shown in the catalog are for illustration purposes only. For information on size and color, please refer to the product table.