


PRODUCT DATASHEET

DP HOUSING 1500 2xLAMP TH-KIT 5x2.5

DAMP PROOF HOUSING ACCESSORIES | Through-wiring kits for DAMP PROOF HOUSING GEN 2 and GEN 3

Areas of application

- Parking lots, warehouses, production areas



Product benefits

- Easy installation and electrical connection thanks to tool-free electrical connectors

Product features


- Through-wiring kits with tool-free connectors



TECHNICAL DATA

Dimensions & Weight

Length	1450 mm
Width	50 mm
Height	23 mm
Product weight	290.00 g



DP 1500 2xLAMP HOUSING TH-
KIT 5x2.5

Materials & Colors

Product color	Multicolored
---------------	--------------



Certificates & Standards




Standards	CE / UKCA
-----------	-----------

EQUIPMENT / ACCESSORIES

- 5x2.5 mm² cables with tool-free connectors, cable gland and cable holders
- All required accessories included

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	DP HOUSING
	Legal information	Informationstext 18 Abs 4 ElektroG

Documents and certificates		Document name
	Declarations of conformity	CE Declaration of Conformity DP HOUSING TH-KIT
	Declarations of conformity UKCA	UKCA Declaration of Conformity DP LAMP HOUSING TH-KIT
	Declarations of conformity UKCA	DP LAMP HOUSING TH-KIT

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075695139	BAG 1	140 mm x 140 mm x 42 mm	292.00 g	0.82 dm ³
4058075695146	Shipping box 30	435 mm x 310 mm x 231 mm	9381.00 g	31.15 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ADDITIONAL CATALOG INFORMATION



References / Links

– For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.