

# PRODUCT DATASHEET

## SF CIRCULAR 500 FRAME WT

SURFACE CIRCULAR FRAME | Decorative frame for SURFACE CIRCULAR 500



---

### Areas of application

- Extension for SURFACE CIRCULAR 500

---

### Product benefits

- Design extension for a more decorative appearance
- Allows direct light as well as accentuated light to the ceiling
- Easy and quick installation

---

### Product features

- Available in black / gold (like RAL790-5 / RAL260-M) and white (like RAL110-1) color
- Metal sheet frame













## TECHNICAL DATA

## Photometrical data

Beam angle

120 °


SF C 500 19W WHITE FRAME  
1500lmSF C 500 19W WHITE FRAME  
1400lmSF C 500 30W WHITE FRAME  
2350lmSF C 500 42W WHITE FRAME  
3300lmSF C 500 6W WHITE FRAME 500lm  
DALI EMSF C 500 19W WHITE FRAME  
1500lmSF C 500 19W WHITE FRAME  
1400lmSF C 500 30W WHITE FRAME  
2350lmSF C 500 42W WHITE FRAME  
3300lm



SF C 500 6W WHITE FRAME 500lm  
DALI EM

Dimensions & Weight

|                |           |
|----------------|-----------|
| Diameter       | 560 mm    |
| Height         | 105.00 mm |
| Product weight | 2400.00 g |



SF CIRCULAR 500 FRAME

Materials & Colors

|               |       |
|---------------|-------|
| Product color | White |
| Body material | Steel |

Application & Mounting

|                   |         |
|-------------------|---------|
| Mounting type     | Surface |
| Mounting location | Ceiling |

Certificates & Standards

|                |    |
|----------------|----|
| Ball shot safe | No |
|----------------|----|

EQUIPMENT / ACCESSORIES

– Replacement cover optionally available

## DOWNLOAD DATA

| Documents and certificates                                                         |                                        | Document name                         |
|------------------------------------------------------------------------------------|----------------------------------------|---------------------------------------|
|    | User instruction / safety instructions | UI SF CIRC FRAME                      |
|    | Legal information                      | Informationstext 18 Abs 4 ElektroG    |
|    | Declarations of conformity             | SF CIRCULAR                           |
| Photometric and lighting design files                                              |                                        | Document name                         |
|    | IES file (IES)                         | SF C 500 19W WHITE FRAME 1500lm       |
|    | IES file (IES)                         | SF C 500 19W WHITE FRAME 1400lm       |
|    | IES file (IES)                         | SF C 500 30W WHITE FRAME 2350lm       |
|    | IES file (IES)                         | SF C 500 42W WHITE FRAME 3300lm       |
|  | IES file (IES)                         | SF C 500 6W WHITE FRAME 500lm DALI EM |
|  | LDT file (Eulumdat)                    | SF C 500 19W WHITE FRAME 1500lm       |
|  | LDT file (Eulumdat)                    | SF C 500 19W WHITE FRAME 1400lm       |
|  | LDT file (Eulumdat)                    | SF C 500 30W WHITE FRAME 2350lm       |
|  | LDT file (Eulumdat)                    | SF C 500 42W WHITE FRAME 3300lm       |
|  | LDT file (Eulumdat)                    | SF C 500 6W WHITE FRAME 500lm DALI EM |
|  | UGR file (UGR table)                   | SF C 500 19W WHITE FRAME 1500lm       |
|  | UGR file (UGR table)                   | SF C 500 19W WHITE FRAME 1400lm       |
|  | UGR file (UGR table)                   | SF C 500 30W WHITE FRAME 2350lm       |
|  | UGR file (UGR table)                   | SF C 500 42W WHITE FRAME 3300lm       |



| Photometric and lighting design files                                             |                                     | Document name                         |
|-----------------------------------------------------------------------------------|-------------------------------------|---------------------------------------|
|  | UGR file (UGR table)                | SF C 500 6W WHITE FRAME 500lm DALI EM |
|   | Light distribution curve type cone  | SF C 500 19W WHITE FRAME 1500lm       |
|   | Light distribution curve type cone  | SF C 500 19W WHITE FRAME 1400lm       |
|   | Light distribution curve type cone  | SF C 500 30W WHITE FRAME 2350lm       |
|   | Light distribution curve type cone  | SF C 500 42W WHITE FRAME 3300lm       |
|   | Light distribution curve type cone  | SF C 500 6W WHITE FRAME 500lm DALI EM |
|   | Light distribution curve type polar | SF C 500 19W WHITE FRAME 1500lm       |
|   | Light distribution curve type polar | SF C 500 19W WHITE FRAME 1400lm       |
|   | Light distribution curve type polar | SF C 500 30W WHITE FRAME 2350lm       |
|   | Light distribution curve type polar | SF C 500 42W WHITE FRAME 3300lm       |
|   | Light distribution curve type polar | SF C 500 6W WHITE FRAME 500lm DALI EM |

LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                 |
|---------------|------------------------------|--------------------------------------|--------------|------------------------|
| 4058075834187 | Folding box<br>1             | 112 mm x 567 mm x 560 mm             | 2125.00 g    | 35.56 dm <sup>3</sup>  |
| 4058075834194 | Shipping box<br>5            | 585 mm x 585 mm x 605 mm             | 12515.00 g   | 207.05 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ADDITIONAL CATALOG INFORMATION



---

### References / Links

– For Guarantee see [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

---

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.