

PRODUCT DATASHEET SMART MATTER FLEX 2M RGB Tunable White

SMART MATTER FLEX | Decorative, extendable LED Strips with Matter technology



Areas of application

- Living areas (living rooms, dining rooms, bedrooms etc.)

Product benefits

- Uses multi color and cold or warm white light for most flexible lighting scenes

Product features

- RGB color control
- Flexible, bendable LED strips

TECHNICAL DATA

Electrical data

Nominal wattage	8.50 W
Nominal voltage	220240 V
Nominal current	60.000 mA
Power factor λ	> 0.4
Protection class	П

Photometrical data

Color temperature 27006500 K		
Light color (designation)	Red / Green / Blue / Tunable White	
Color rendering index Ra	80	
Standard deviation of color matching	< 6 sdcm	
Photobiological safety group acc. to EN62778	RG0	
Beam angle	120 °	

Dimensions & Weight

Length	2000.00 mm
Width	12.00 mm
Height	8.00 mm
Product weight	157.00 g



SMART MAT FLEX 2M RGBTW

Materials & Colors

Product color	White	
Housing color	White	
Body material	Acrylonitrile butadiene styrene (ABS)	

Application & Mounting

Temperature range at storage	-20+80 °C
Type of connection	Plug type C (EU)
Type of protection	IP20
Dimmable	Yes
Mounting type	Surface

With light source	Yes
Certificates & Standards	
Standards	CE
Replaceable light source (EPREL)	Not replaceable
Additional product data	

Available from March 2025

Safety advice

Product remark

- Do not connect the rope light to the supply while it is wound onto a reel. Do not use the lightstrip when covered or recessed into a surface. The string of lights may not be operated within the packaging. Do not open the lightstrip.

DOWNLOAD DATA

	Documents and certificates	Document name	
POF	User instruction / safety instructions	SMART MATTER FLEX	
PDF	Declarations of conformity	CE Declaration Smart Matter Flex	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854373022	Folding box 1	56 mm x 126 mm x 127 mm	191.00 g	0.90 dm ³
4099854373039	Shipping box 6	262 mm x 179 mm x 141 mm	1278.00 g	6.61 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.