

PRODUCT DATASHEET

Decor Pendant Needle Linear 4xE27 Beige

Decor Needle Pendant | Indoor pendant luminaires, E27 socket



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements
- Bedrooms

Product benefits

- Individual light scenarios through combination with decorative lamp
- High-quality look and feel
- Easy mounting

Product features

- Modern minimalistic design
- Special vintage appeal when combined with 1906 lamps
- Flexible mounting options
- 2 m textile cable




TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Protection class	I
Operating mode	Mains voltage

Dimensions & Weight

Length	950.00 mm
Width	100.00 mm
Height	2200.00 mm
Product weight	1950.00 g



DECOR NEEDLE PEND LN 4XE27

Materials & Colors

Product color	Beige
Housing color	Beige
Body material	Steel
Glow Wire Test according to IEC 60695-2-12	650 °C

Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-20...+80 °C
Type of connection	Terminal, 3-Pole (L, N)
Type of protection	IP20
Dimmable	No

Mounting type	Suspended
Mounting location	Ceiling
Application environment	Indoor
With light source	No
Holder designation	E27

Certificates & Standards

Standards	CE / UKCA
-----------	-----------


Additional product data

Product remark	Maximum bulb wattage: 25 W (15 W LED) / Available from June 2025
Number of illuminants	4

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	DECOR NEEDLE PENDANT PLATE+LINEAR E27

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075848542	Folding box 1	88 mm x 123 mm x 1,003 mm	2441.00 g	10.86 dm ³
4058075848559	Shipping box 2	1,020 mm x 190 mm x 150 mm	5572.00 g	29.07 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.