

PRODUCT DATASHEET Decor Bell Pendant E27

Decor Bell | Decorative luminaires made of PCR with E27 socket



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements
- Bedrooms

Product benefits

- Timeless design
- On-off switch on wall luminaire for convenient operation
- Lampshade position flexibly selectable
- Luminaire family with a consistent style
- Lampshade made of recycled materials
- Sustainable solution thanks to exchangeable light sources

Product features

- Housing material: metal and PCR
- Textile cable
- Optional cable provided with fitted EU plug (only for wall luminaire)




TECHNICAL DATA

Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	1
Operating mode	Mains voltage

Dimensions & Weight

Length	152.00 mm
Width	106.00 mm
Height	1220.00 mm
Product weight	465.00 g



Materials & Colors

Product color	Black
Housing color	Black
Body material	Steel Polyethylene (PE)
Glow Wire Test according to IEC 60695-2-12	650 °C
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20+40 °C
Temperature range at storage	-20+80 °C
Type of connection	Terminal, 3-Pole (L, N, PE)
Type of protection	IP20
Dimmable	No
Mounting type	Suspended

Mounting location	Ceiling
With light source	No
Holder designation	E27

Lifespan

Lifespan L70/B50 at 25 °C	30000 h ¹⁾
---------------------------	-----------------------

1) t[h]: L70 / B50 @ 25 °C (Ta), t[h]: L80 / B10 @ 25 °C (Ta), t[h]: L90 / B10 @ 25 °C (Ta)

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Additional product data

Product remark	Maximum bulb wattage: 8 W LED / Available from June 2025	
Number of illuminants	1	

Safety advice

- All electrical connections must be made by a qualified person.

- Caution, risk of electric shock.

DOWNLOAD DATA

	Documents and certificates	Document name	
POF	User instruction / safety instructions	DECOR BELL PENDANT PCR E27	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075848689	Folding box 1	131 mm x 171 mm x 316 mm	804.00 g	7.08 dm ³
4058075848696	Shipping box 4	365 mm x 285 mm x 340 mm	3746.00 g	35.37 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.